

Notice of Allowability	Application No.	Applicant(s)	
	10/810,509	ARNOLD, RALPH EDWARD	
	Examiner	Art Unit	
	Yvonne R. Abbott	3644	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 7/14/05.
2. ☒ The allowed claim(s) is/are 6-9.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

a) claims 1-5 have been canceled (as this is the proper status identifier);

b) claim 6 has been rewritten as follows:

--A portable, animal repelling and/or restraining unit consisting of a sheet metal surface with a 100% rubber center, a relay, a condenser, a coil, and a protective housing for shielding electrical components to produce a high voltage electrical shock generated by an AC or 12 volt battery to deal with nuisance animals, and supported on a center pipe equipped with copper wire and attached to a grounding post inserted into the ground beside the unit for grounding the electrical components.— ;

c) claim 7 has been rewritten as follows:

--A device according to claim 6 equipped with an external on /off toggle switch to restrict power from the unit when necessary; and electrical circuitry for formation of an internal switch to allow power from said battery to said sheet metal surface only when said surface is moved, thereby avoiding the need for a charging unit, said circuitry making the unit silent in operation.--;

d) claim 8 has been rewritten as follows:

-- A device according to claim 7, wherein said movable sheet metal surface and rubber center are constructed in applicable shape, gauge and thickness to adapt for dealing with nuisance animals of all sizes and strengths.--

e) claim 9 has been rewritten as follows:


-- A device according to claim 6 wherein mechanical parts are separable from said sheet metal surface for mounting to accommodate various nuisance behaviors and animals.--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yvonne R. Abbott whose telephone number is (571) 272-6896. The examiner can normally be reached on Monday-Thursday 9:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on (571) 272-7045. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3644

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Yvonne R. Abbott
Primary Examiner
Art Unit 3644

11/23/05